



## **State of Utah**

Division of Facilities Construction and Management  
4130 State Office Building Salt Lake City, Utah 84114-1002  
Phone: 801-538-3263 Fax: 801-538-3378

# **CCTV SYSTEM BRIDGERLAND APPLIED TECHNOLOGY COLLEGE**

Logan, Utah

## **Project Number: 05045210**

## **Addendum Number 2**

**June 21, 2005**

**Information contained within this addendum modifies project drawings and specifications previously issued and become part of the contract documents. Acknowledge receipt of this addendum in your bid proposal.**

**Index to Addendum Number 1**

**This cover page.  
&  
One page**

**Project # 05045210**  
**Addendum Number 2**  
**June 21, 2005**

The following will apply to this specification after considering concerns brought to the attention of DFCM.

- 1- Addendum Number 1 item 5 calls for a lap top P.C. This should be a desk-top PC for connecting to the new CCTV network.
- 2- All Camera type A's must be equivalent to the Pelco ICS110-CDV3A. This camera must have High Resolution Color, Low Light with DSS (Digital slow shutter) and a 2.6-6mm variable-focal auto-iris lens.
- 3- All Camera type C's must be equivalent to the Pelco, Spectra-III SE (second edition) part number SD53CBW-PG-E0
- 4- The correct part number for the Pelco DX8000 digital recorder is DX8016-1000DVD. This is a 16-camera unit with 1-terabit of storage and a built in DVD burner.

**Direct any concerns or Questions about project to Darrell Hunting @ 801-244-7647**